SANDIA REPORT

SAND2015-5135 Unlimited Release Printed June, 2015

Analysis of Modeling Parameters on Threaded Screws

Miquela S. Vigil, Matthew R. W. Brake, and Douglas J. VanGoethem

Prepared by Sandia National Laboratories Albuquerque, New Mexico 87185 and Livermore, California 94550

Sandia National Laboratories is a multi-program laboratory managed and operated by Sandia Corporation, a wholly owned subsidiary of Lockheed Martin Corporation, for the U.S. Department of Energy's National Nuclear Security Administration under contract DE-AC04-94AL85000.

Approved for public release; further dissemination unlimited.



Issued by Sandia National Laboratories, operated for the United States Department of Energy by Sandia Corporation.

NOTICE: This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government, nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, make any warranty, express or implied, or assume any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represent that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government, any agency thereof, or any of their contractors or subcontractors. The views and opinions expressed herein do not necessarily state or reflect those of the United States Government, any agency thereof, or any of their contractors.

Printed in the United States of America. This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from U.S. Department of Energy Office of Scientific and Technical Information P.O. Box 62 Oak Ridge, TN 37831

> Telephone: (865) 576-8401 Facsimile: (865) 576-5728

E-Mail: reports@adonis.osti.gov
Online ordering: http://www.osti.gov/bridge

Available to the public from

U.S. Department of Commerce National Technical Information Service 5285 Port Royal Rd Springfield, VA 22161

Telephone: (800) 553-6847 Facsimile: (703) 605-6900

E-Mail: orders@ntis.fedworld.gov

Online ordering: http://www.ntis.gov/help/ordermethods.asp?loc=7-4-0#online



Analysis of Modeling Parameters on Threaded Screws

Miquela S. Vigil, 1,2 Matthew R. W. Brake, 1 and Douglas J. VanGoethem 1

Component Science and Mechanics
 Sandia National Laboratories
 MS 1070; P.O. Box 5800
 Albuquerque, NM 87185-1070

Department of Mechanical Engineering
 New Mexico Institute of Mining and Technology
 801 Leroy Place
 Socorro, NM 87801

Abstract

Assembled mechanical systems often contain a large number of bolted connections. These bolted connections (joints) are integral aspects of the load path for structural dynamics, and, consequently, are paramount for calculating a structure's stiffness and energy dissipation properties. However, analysts have not found the optimal method to model appropriately these bolted joints. The complexity of the screw geometry cause issues when generating a mesh of the model. This paper will explore different approaches to model a screw-substrate connection. Model parameters such as mesh continuity, node alignment, wedge angles, and thread to body element size ratios are examined. The results of this study will give analysts a better understanding of the influences of these parameters and will aide in finding the optimal method to model bolted connections.

Acknowledgment

The authors would like to thank Garth M. Reese for his help in reviewing this document.

Contents

1	Int	roduction	7
2	Mo	deling Approach	9
	2.1	Geometry and Materials	9
	2.2	Boundary Conditions	10
	2.3	Loading 1	10
	2.4	Mesh Convergence	11
3	Mo	•	14
	3.1	Mesh Continuity	14
	3.2	Node Alignment	15
	3.3	Symmetrical Modeling	17
	3.4		17
4	Res	sults and Discussion	19
	4.1	Mesh Continuity	19
	4.2	Node Alignment	20
	4.3	Symmetrical Modeling	20
	4.4	Ratio of Meshes	21
5	Co	nclusions 2	25
F	igur	res	
	1	The classification of contact nodes [1]	8
	2	The diagram outlines the steps and problem solving method of the modified contact	Ü
	_	algorithm [1].	8
	3	Geometric model of the screw and substrate.	9
	4	The respective node sets are labeled on the geometric model. Node sets 1 and 2 are the symmetrical surfaces of the wedge, node set 3 is the surface on the outer diameter of the substrate, and node set 10 is the surface on the top of the screw	11
	5	1	12
	6		
		Mesh convergence for the model with a uniform mesh for Refinement Level 1 (\circ) , Refinement Level 2 $(-\cdot-)$, Refinement Level 3 $(\cdot\cdot\cdot)$, Refinement Level 4 $()$, Refinement Level 5 $(-)$.	13
	7	Refinement Level 2 $(-\cdot-)$, Refinement Level 3 $(\cdot\cdot\cdot)$, Refinement Level 4 $()$, Refinement Level 5 $(-)$	13
	7	Refinement Level 2 $(-\cdot-)$, Refinement Level 3 $(\cdot\cdot\cdot)$, Refinement Level 4 $()$, Refinement Level 5 $(-)$	13 13
	7	Refinement Level 2 $(-\cdot-)$, Refinement Level 3 $(\cdot\cdot\cdot)$, Refinement Level 4 $()$, Refinement Level 5 $(-)$.	
		Refinement Level 2 $(-\cdot-)$, Refinement Level 3 $(\cdot\cdot\cdot)$, Refinement Level 4 $()$, Refinement Level 5 $(-)$	
		Refinement Level $2(-\cdot-)$, Refinement Level $3(\cdot\cdot\cdot)$, Refinement Level $4()$, Refinement Level $5(-)$	13
	8	Refinement Level $2 (-\cdot -)$, Refinement Level $3 (\cdot \cdot \cdot)$, Refinement Level $4 ()$, Refinement Level $5 (-)$	13 15

12	Maximum Von Mises stress for model with the uniform mesh $()$ compared to	
	the model with the tied meshes (\cdots)	20
13	Countour plot of Von Mises Stress in the screw for contiguous mesh (a) and tied	
	mesh (b)	21
14	Force with respect to the screw displacement for Case 1- both axial and circum-	
	ferential alignment (\triangle) , Case 2 - axial misalignment $(*)$, Case 3 - circumferential	
	misalignment $(-)$, and Case 4 - both axial and circumferential misalignment (\circ) .	22
15	Force with respect to displacement for wedge angles: 15° (-), 30° (*), 45° (···),	
	$90^{\circ} (-\cdot -), 360^{\circ} (\circ)$	23
16	Force with respect to the screw displacement for threadtobody element size ratios:	
	1/6 (-), 1/4 (+), 1/2 (0), 1 (*)	24
Table	ac	
Table		
1	Material Properties	10
2	Boundary Conditions Applied at each Node Set	10
3	Element Sizes in Convergence Study	12
4	Wedge Angles	17
5	Ratio of Meshes	17
-		

1 Introduction

Numerical modeling through the use of finite element, finite difference, or finite volume codes has become very prevalent in the analysis of structures and components. Although many numerical models produce valid results and ultimately are an effective tool in the area of solid mechanics, many analysts still encounter issues that result from limitations of the codes. Code developers continuously research these issues and work towards eliminating these limitations. Meanwhile, it is important for analysts to be knowledgeable of the limitations of the codes used and how those limitations effect the numerical results of the simulation. The lack of information available to analysts about code limitations is an issue many analysts face. Often, when a developer or an analyst explore these issues further they do not have time to conduct a thorough study or write a formal report on their findings. This becomes an issue for many analysts because when they encounter similar issues they do not have references to gain a better understanding of the issue and as a result do not know how to proceed without conducting a study. This report aims to address some of these issues by documenting best practices and lessons learned from developing models of fasteners.

The failure of fasteners is a critical area to examine in the solid mechanics analysis of a system. Some of the components modeled by the analyst can consist of hundreds of small fasteners. In a model of the whole system it is unrealistic to include every small fastener. However, the stiffness and support that the fastener provides to the design is needed for the system model. The question that arises from this issue is, how can a fastener be incorporated into a model of a component that consists of many fasteners? Before this question can be answered, a more complete understanding of the failure mechanisms of a fastener is needed.

In this study, a threaded screw is modeled in Sierra/Solid Mechanics, also known as Adagio, an implicit nonlinear finite element code developed by Sandia National Laboratories [1]. Currently, most finite element models of screws within larger systems do not include the threads of the screws, which adds an overly burdensome level of complexity when creating a finite element model. Several modeling methods exists for generating a finite element model of a detailed screw. Although these methods would simplify the overall modeling of a screw, the limitations of these approaches and the effects they have on the numerical results are unclear. To gain a better understanding of these effects, a parametric study is conducted on a simplified finite element model of a screw in what follows.

This parametric study explores the differences between a model containing a tied contact to combine two solids and a model of a single solid. In this section a short explanation of the contact algorithm created in Adagio is given. The idea of the contact algorithm is to control the interaction between two solids using specified physics parameters [2]. These parameters, which are based on physics models, make sure that the two solids do not interpenetrate. The type of interaction between surfaces, such as being tied together or sliding, is specified as part of this algorithm [2].

Constraints are defined depending on the interaction of the two solids. There are three types of contact constraints:

- 1. Node/Face prevents nodes of one solid from penetrating the faces of the other solid
- 2. Face/Face prevents faces of one solid from penetrating the faces of the other solid
- 3. Node/Analytic Surface prevents nodes of one solid from penetrating the predefined surfaces of the other solid

Once the contact surfaces are defined then the constraints need to be enforced. The constraints are enforced by defining master and slave surfaces. To eliminate gaps as well as interpenetration of the two solids, all the nodes on the surface of the slave surface are forced to lie on the surface of the master surface. Figure 1 illustrates how the contact algorithm defines the classification of the contact nodes. There are three different classes of nodes for the two solids that are in contact. The active contact nodes are identified by the contact search algorithm. These nodes are subsets of the potential contact nodes which are those associated with the master-slave interaction [1]. The remaining nodes are defined as non-active nodes. The contact algorithm follows the steps shown in Figure 2. The diagram gives a general understanding of the process that the algorithm undergoes to identify the nodes, enforce the contact constraints, and implement the type of contact.




Figure 1. The classification of contact nodes [1].




Figure 2. The diagram outlines the steps and problem solving method of the modified contact algorithm [1].

2 Modeling Approach

2.1 Geometry and Materials

This parametric study is based on a finite element solid mechanics model of a detailed #4-40 screw with simplified geometry. A symmetrical modeling technique is utilized allowing a fraction of the screw and substrate to be modeled. Hence the overall geometry is in the shape of a wedge. Instead of modeling the full length of the screw, only four threads in a substrate are analyzed. Another modification made to this model to eliminate complexity is the elimination of the thread angle. Unlike a realistic screw, the thread angle is not included in this model. The geometric model, which is produced in Cubit, can be seen in Fig. 3. An example of the journal file for this model can be found in Appendix A.




Figure 3. Geometric model of the screw and substrate.

The materials chosen for the screw and substrate are based on common materials used in many components: an alloy A-286 screw and a 304L stainless steel substrate. Material properties can be found in Table 1 The elastic-plastic solid mechanics model is applied to both the screw and substrate; and a frictionless contact interaction is applied between the threads of the screw and substrate even though the interaction between the threads of a screw and substrate is not frictionless.

Table 1. Material Properties

	Screw - Alloy A-286	Substrate - 304L Stainless Steel
Young's Modulus (psi)	29E6	28E6
Poisson's Ratio	0.28	0.28
Yield Stress (psi)	120E3	32.7E3
Ultimate Tensile Strength (psi)	160E3	78E3

2.2 Boundary Conditions

Kinematic boundary conditions are applied to sets of nodes in the screw-substrate model. Fixed displacement boundary conditions are applied to node sets 1 and 3. Table 2 and Fig. 4 show the type of boundary condition applied to each node set.

Table 2. Boundary Conditions Applied at each Node Set

Node Set	Type of Boundary Condition	Component
1	Fixed Displacement	Z
2	Fixed Displacement	Tangential
3	Fixed Displacement	X
3	Fixed Displacement	Y
3	Fixed Displacement	Z

The fixed displacement boundary condition sets the specified nodes to have a zero displacement in the specified directions. Therefore the outer diameter of the substrate (node set 3) is fixed in the X, Y, and Z axes. Node set 1 is fixed in the z direction. A prescribed displacement of 0 with respect to the center axis (y-axis) is applied to node set 2. This allows the node set 2 to be fixed in the tangential direction while allowing the nodes to move in the radial direction.

2.3 Loading

In many scenarios, fasteners are exposed to a range of mechanical loading conditions, that can be reduced to components of tensile and shear loading. For simplicity, only pure tension is considered in these simulations. To incorporate the loading on the screw, a prescribed displacement that is incrementally increased from 0 to 0.025 inches is applied to node set 10 in the Y-axis. The total displacement is the same length as the pitch of the thread of the screw. The load is applied to the top surface of the screw causing the screw to be pulled out of the substrate. Fig. 4 highlights the surface of node set 10. The screw at a displacement of 0.025 inches can be seen in Fig. 5.




Figure 4. The respective node sets are labeled on the geometric model. Node sets 1 and 2 are the symmetrical surfaces of the wedge, node set 3 is the surface on the outer diameter of the substrate, and node set 10 is the surface on the top of the screw.

2.4 Mesh Convergence

Before analyzing the outcomes from the various modeling methods of interest, the model needs to be meshed correctly. A convergence study is used to determine the optimal mesh for the model. During this study the simulation is run with increasingly fine meshes until the numerical results converged. This is achieved by analyzing the force versus displacement data (the system's compliance curve). The convergence study is conducted for both the model with a uniform mesh and the model with a mesh that is connected with a tied contact. Table 3 lists the element sizes used in this study. The convergence of the force-displacement curves for both the model with a unified mesh and the model with tied contacts are illustrated in Figs. 6 and 7.




Figure 5. Screw displaced at the maximum displacement of 0.025 inches.

 Table 3. Element Sizes in Convergence Study

Refinement Level	Element Size	Number of Elements
1	0.0035	8224
2	0.0025	14,948
3	0.0015	24,344
4	0.0005	905,216
5	0.00025	17,198,808




Figure 6. Mesh convergence for the model with a uniform mesh for Refinement Level 1 (\circ) , Refinement Level 2 $(-\cdot-)$, Refinement Level 3 $(\cdot\cdot\cdot)$, Refinement Level 4 (--), Refinement Level 5 (-).




Figure 7. Mesh convergence for the model with tied meshes for Refinement Level 1 (-), Refinement Level 2 (--), Refinement Level 3 (\cdots) , Refinement Level 4 $(-\cdot-)$.

3 Modeling Parameters

Multiple modeling approaches are of interest in the finite element analysis of a screw because the complexity of the geometry of the threads adds difficulty in obtaining a quality mesh. As a result, various approaches are investigated to find the optimal modeling method. For the approaches considered, there are several parameters in these methods that may or may not influence the numerical results. To gain a better understanding of the effects of these parameters, a series of numerical tests are performed. This section discusses the following modeling parameters that are investigated:

- 1. Mesh Continuity
- 2. Node Alignment
- 3. Symmetrical Modeling
- 4. Ratio of Meshes

3.1 Mesh Continuity

When creating a finite element model of a detailed screw several meshing issues emerge. The helical shape of the threads cause the nodes of the shank and the nodes of the threads to be misaligned. As a result, the issues occur when attempting to mesh the volume. One approach to overcome this problem would be to create two separate solids, one being the shank and the other being the threads, and then connect the solids together using a tied contact. This will allow the threads and the shank to be meshed individually, eliminating the issues that arise from the node misalignment. However, since the screw is not meshed as one solid, the accuracy of this model needs to be assessed.

Two models are used to analyze the effects of the tied contact and to determine the differences between a model with individual meshes that are tied together and a model with a contiguous mesh. Both models are similar to that discussed in Section 2. The major difference between the two models is the solid modeling of the geometries in Cubit. The model that consists of the uniform mesh is made up of two solids; the screw and the substrate. The other model with the tied meshes consists of four solids; the screw shank, the threads of the screw, the body of the substrate, and the threads of the substrate. These differences are shown in Fig. 8.

Several contact interactions are applied to the model to connect the threads to the respective bodies. The threads of the screw and substrate are defined as the masters in each interaction. Therefore, the shank of the screw and the body of the substrate are the slaves. The tied friction model is used to connect the screw body with the threads of the screw. Similarly, the body of the substrate is connected to the threads of the substrate. The contact algorithm and constraint formulation is dependent on the simulation type. The use of the contact algorithm ties the solids of the threads and bodies together while guaranteeing that they will not interpenetrate.





Figure 8. The four bodies defined in the model with tied contacts; (1) screw body, (2) threads of screw, (3) threads of substrate, and (4) substrate body.

3.2 Node Alignment

As discussed in Section 2, the thread angle causes the nodes between the threads and the shank to be misaligned. To ensure that the misalignment of the nodes does not influence the numerical results, several simulations with models of various node alignments are analyzed. The model of the screw and substrate that consists of the tied contacts is modified so that the nodes between the threads and the bodies are misaligned. Because the node misalignment can be in multiple directions three different models are used.

- 1. Axial Misalignment
- 2. Circumferential Misalignment
- 3. Both Axial and Circumferential Misalignment



 $\begin{tabular}{ll} Figure 9. & The four different meshes with the respective node \\ misalignment \\ \end{tabular}$

Figure 9 demonstrates the three different meshes for each node alignment case compared to the mesh that has axial and circumferential node alignment.

3.3 Symmetrical Modeling

A common approach used in FEA to reduce the number of degrees of freedom in a problem is to use symmetry relationships. In this case, since a screw is cylindrical, a fraction of the geometry can be modeled instead. As a result, a wedge that is symmetrical about the Y-axis is modeled. This modeling approach requires the user to apply boundary conditions at the symmetrical surfaces. Although this modeling approach eliminates computational time and cost, other effects can influence the results. One major concern with this approach is the influence of edge effects on the model. To find the optimal wedge angle five different angles (listed in Table 4) are compared. The element size for all of these models is identical with a size of 0.0015 inches determined from the previous convergence studies.

Table 4. Wedge Angles

Wedge Angle (°)
15
30
45
90
360

3.4 Ratio of Meshes

The previously listed studies use a consistent thread-to-body mesh ratio of one. This means that the element size between the threads and the bodies are the same. One question an analyst may ask is would the mesh be more optimal if the mesh became coarser towards the center of the screw or the body of the substrate (i.e. if the mesh of the threads are refined)? To answer this question, four different thread-to-body element size ratios are analyzed to find the optimal mesh ratio (reported in Table 5 and Figure 10).

Table 5. Ratio of Meshes

1 0.0005 0.0005 1/2 0.0005 0.001 1/4 0.0005 0.002 1/6 0.0005 0.003	Thread to Body Ratio	Element Size - Thread	Element Size - Body
1/4 0.0005 0.002	1	0.0005	0.0005
	1/2	0.0005	0.001
1/6 0.0005 0.003	1/4	0.0005	0.002
	1/6	0.0005	0.003




Figure 10. The difference in thread to body meshes for Case 1 - 1/1 (a), Case 2 - 1/2 (b), Case 3 - 1/4 (c), Case 4 - 1/6 (d).

4 Results and Discussion

4.1 Mesh Continuity

Figure 11 compares the global force with respect to the screw displacement for the model with a uniform mesh and the model with tied contacts between the threads and the body. As seen in Fig. 11, the two curves are coincident. For the finely meshed models there is no difference between the uniform mesh and the tied mesh. The maximum Von Mises stresses for both models can also be observed in Fig. 12. Likewise, the Von Mises stress in each model is very similar (illustrated in Fig. 13).




Figure 11. Force with respect to displacement for the model with the uniform mesh (\circ) compared to the model with the tied meshes (-).




Figure 12. Maximum Von Mises stress for model with the uniform mesh (--) compared to the model with the tied meshes (\cdots) .

4.2 Node Alignment

The global force for the three different cases of node misalignment are compared with that of the model with node alignment. Figure 14 shows that node alignment does not influence the global force-displacement response of the finite element analysis for the cases considered. Thus, using meshes with misaligned nodes does not present an issue for the accuracy of the analysis.

4.3 Symmetrical Modeling

Five models with different wedge angles (angle about Y-axis) are compared in Fig. 15. The models with wedge angles of 15° and 360° have the largest differences. Whereas the models with wedge angles 30° , 45° , and 90° are very similar. The results of the 360° case are somewhat surprising as the other cases appear to converge to a different value. As the actual screw consists of a helix angle, it is not immediately clear which wedge angle is more appropriate, and some further




Figure 13. Countour plot of Von Mises Stress in the screw for contiguous mesh (a) and tied mesh (b).

study is warranted once validation data is obtained. However, one conclusion from the present analysis is that if symmetry is used, a wedge angle between 30° and 90° is the most suitable.

4.4 Ratio of Meshes

The thread-to-body element size ratio on a converged mesh does not appear to have an appreciable influence on the numerical solution. Fig. 16 shows that the force with respect to displacement is the same for thread-to-body element size ratios of 1/1, 1/2, and 1/4. The numerical solution begins to diverge at a thread-to-body ratio of 1/6. Therefore, mesh refining can be used to improve computational performance without a loss of accuracy (at least for the refinement ratios 1/1, 1/2, and 1/4 considered in the present analysis).




Figure 14. Force with respect to the screw displacement for Case 1- both axial and circumferential alignment (\triangle) , Case 2 - axial misalignment (*), Case 3 - circumferential misalignment (-), and Case 4 - both axial and circumferential misalignment (\circ) .




Figure 15. Force with respect to displacement for wedge angles: 15° (-), 30° (*), 45° (···), 90° (-·-), 360° (\circ).




Figure 16. Force with respect to the screw displacement for threadtobody element size ratios: 1/6(-), 1/4(+), $1/2(\circ)$, 1(*).

5 Conclusions

This report presents an in-depth analysis of the phenomenologically different methods in which a screw can be modeled using SIERRA. The approaches considered include:

- uniform meshing versus tied contact,
- aligned versus misaligned nodes,
- reduced models via symmetry versus complete models,
- biased versus unbiased meshes.

From these analyses, several major conclusions are drawn, which are anticipated to be able to be applicable for other models developed in SIERRA:

- 1. Meshes with tied contact exhibit better convergence properties than continuous (uniform) meshes.
- 2. The alignment of nodes for tied contact does not appreciably affect the accuracy of the model.
- 3. In modeling an axial-symmetric system, wedge angles between 30° and 90° yield congruent results. Smaller wedge angles are not recommended without further convergence analysis/refinement.
- 4. Refined ratios up to a factor of four are found to have no appreciable affect on the results.

References

- [1] Sierra/SolidMechanics 4.34 User's Guide (2014). Sierra/SM. Sandia National Laboratories, Albuquerque, NM.
- [2] K.H. Pierson, B.W. Spencer, and T.M. Hensley. Adagio Contact Algorithm Enhancements. SAND2007-3003C.

Appendix A: Example Cubit Journal Code

```
#This program generates a meshed model of a fraction of a screw in a substrate. Note that the thread an-
gle is not incorporated. This model is similar to those used in the parametric study discussed in the pa-
per.
# Create mesh for thread having Diameter number 4, Length number 5,
# TPI 40, and substrate inclusion ratio 0.3333337
# Axis-symmetry Wedge Geometry of Threaded Screw
# Created by DJV & MSV June 2014
### parameters
# wedge angle = 30
# nthread = 4
\# esize1 = .0005
## esize2 = 2*esize1 # used for coarsening away from thread
# nut'router = .1 outer radius for material added onto thread for "nut" substrate
#
reset
# INPUT PARAMETERS
#diameterNumber = 4
\#lengthNumber = 5
#tpi = 40
# OPTIONAL PARAMETERS OF THIS FUNCTION
#ScrewLength = lengthNumber*0.0625
\#capRadius = (1/2)*(2.1625e-2*diameterNumber+9.275e-2)
#capHeight = 1.1719e-2*diameterNumber+6.5104e-2
\# p = 1/tpi
# dRatio = 1/3
# Dmaj = 0.060 + diameterNumber*0.013
\# Rmaj = Dmaj/2
# Dmin = Dmaj-5*sqrt(3)*p/8
#Rmin = Dmin/2
\# d = dRatio*(Rmaj-Rmin)
\# Rs = p*sqrt(3)/12
##SCREW THREADS
#.....
```

generate points for threads

```
#r1 = Rmin - d
\# r2 = Rmin - Rs/2
\# r3 = Rmin + Rs/2
# r4 = Rmin
# r5 = Rmaj
# r6 = Rmaj
#r7 = Rmin
\# r8 = Rmin + p*sqrt(3)/24
\# r9 = Rmin - p*sqrt(3)/24
#r10 = Rmin - d
#y1 = 0
#y2 = 0
# y3 = 0
# y4 = p/8
# y5 = 7*p/16
# y6 = 9*p/16
#y7 = 7*p/8
#y8 = p
#y9 = p
#y10 = p
```

Create vertices

create vertex r1 y1 0 vertex Id("vertex") name 'v1' create vertex r2 y2 vertex Id("vertex") name 'v2' create vertex r3 **v**3 vertex Id("vertex") name 'v3' create vertex r4 y4 vertex Id("vertex") name 'v4' create vertex r5 y5 vertex Id("vertex") name 'v5' create vertex r6 y6 vertex Id("vertex") name 'v6' create vertex r7 y7 vertex Id("vertex") name 'v7' create vertex r8 y8 vertex Id("vertex") name 'v8' y9 create vertex r9 vertex Id("vertex") name 'v9' create vertex r10 y10 vertex Id("vertex") name 'v10'

#Create curves

```
create curve Vertex v1 Vertex v2
curve Id("curve") name 'c1'
create curve arc center v3 v2 v4
curve Id("curve") name 'c2'
create curve Vertex v4 Vertex v5
curve Id("curve") name 'c3'
create curve Vertex v5 Vertex v6
curve Id("curve") name 'c4'
create curve Vertex v6 Vertex v7
curve Id("curve") name 'c5'
create curve arc center v8 v7 v9
curve Id("curve") name 'c6'
create curve Vertex v9 Vertex v10
curve Id("curve") name 'c7'
create curve Vertex v10 Vertex v1
curve Id("curve") name 'c8'
create surface c1 c2 c3 c4 c5 c6 c7 c8
surface Id("surface") name 's1'
sweep surface with name 's1' yaxis angle wedge angle
surface Id("surface") name 's1otherside'
volume Id('volume') name 'vscrewthread'
```

want to try creating curve and sweeping surface along curve in order to have named curve for circumferential interval setting

SHANK #-----### add interior volume of screw here create vertex 0 0 vertex Id("vertex") name 'v201' create vertex 0 p vertex Id("vertex") name 'v210' create surface vertex v1 v10 v210 v201 surface Id("surface") name 's2' sweep surface with name 's2' yaxis angle wedge angle surface Id("surface") name 's2otherside' volume Id('volume') name 'vscrewbody' ## NUT THREADS ## Verticies for nut thread

```
# Vertices needed for inner thread
```

```
# r11 = Rmin

# y11 = 0

# r12 = Rmin

# y12 = p

# r13 = Rmaj + d

# y13 = 0

# r14 = Rmaj + d

# y14 = p

# r15 = Rmaj-p*sqrt(3)/48

# y15 = p/2
```

create vertex r11 0 y11 vertex Id("vertex") name 'v11' create vertex r4 0 vertex Id("vertex") name 'v4' create vertex r5 y5 vertex Id("vertex") name 'v5' create vertex r6 v6 vertex Id("vertex") name 'v6' create vertex r15 y15 vertex Id("vertex") name 'v15' create vertex r7 y7 vertex Id("vertex") name 'v7' create vertex r12 y12 vertex Id("vertex") name 'v12' create vertex r14 y14 vertex Id("vertex") name 'v14' create vertex r13 y13 vertex Id("vertex") name 'v13'

#

create curve Vertex v11 Vertex v4
curve Id("curve") name 'c101'
create curve Vertex v4 Vertex v5
curve Id("curve") name 'c102'
create curve arc center v15 v5 v6
curve Id("curve") name 'c103'
create curve Vertex v6 Vertex v7
curve Id("curve") name 'c104'
create curve Vertex v7 Vertex v12
curve Id("curve") name 'c105'
create curve Vertex v12 Vertex v14
curve Id("curve") name 'c106'

```
create curve Vertex v14 Vertex v13
curve Id("curve") name 'c107'
create curve Vertex v13 Vertex v11
curve Id("curve") name 'c108'
create surface c101 c102 c103 c104 c105 c106 c107 c108
surface Id("surface") name 's201'
sweep surface with name 's201' yaxis angle wedge angle
surface Id("surface") name 's201otherside'
volume Id('volume') name 'vnutthread'
##SUBSTRATE
### add interior volume
create vertex nut router
                                  0
vertex Id("vertex") name 'v313'
create vertex nut router
                                   0
vertex Id("vertex") name 'v314'
create surface vertex v13 v14 v314 v313
surface Id("surface") name 's202'
sweep surface with name 's202' yaxis angle wedge angle
surface Id("surface") name 's202otherside'
volume Id('volume') name 'vnutbody'
del free vertex all
#MESHING DETAILS
# Set meshing details prior to copying multiple threads
# Set parameters for paving the cross section
curve c3 c5 interval 31
curve c104 c102 interval 31
curve c1 c7 interval 4
#curve c8 interval 36
#curve c107 interval 36
curve c4 interval 6
curve c25 c58 interval 36
#set circumferential intervals
#--; may want to figure out way to create curve and sweep surf along curve to control intervals us-
ing named curve, this should work for now
\# circ sthread int = 32
# circ nthread int =32
curve 21 interval circ sthread int #screw thread circ intervals
```

curve 30 interval circ sthread int # screw body circ intervals curve 46 interval circ nthread int #nut thread circ intervals

do manual pick here and use name for BC to apply to arbitrary number of threads

Surface 11 1 16 26 name 'swedgeBC' Surface 28 name 'snutOD'BC'

vol with name 'vscrewthread*' size esize1 vol with name 'vnutthread*' size esize1 vol with name 'vscrewbody*' size esize1 vol with name 'vnutbody*' size esize1

mesh vol all

copy volumes to make screw mesh

Volume all copy move y .025 repeat nthread - 1 imprint vol with name 'vscrewbody*' merge vol with name 'vscrewbody*' imprint vol with name 'vscrewthread*' merge vol with name 'vscrewthread*' imprint vol with name 'vnutbody*' merge vol with name 'vnutbody*' imprint vol with name 'vnutthread*' merge vol with name 'vnutthread*'

blocks and sets

block 1 vol with name 'vscrewbody*' block 2 vol with name 'vscrewthread*' block 3 vol with name 'vnutbody*' block 4 vol with name 'vnutthread*'

nodeset 2 surf with name 'swedgeBC*' nodeset 3 surf with name 'snutOD'BC*'

need to update .025 to calculated pitch parameter

nodeset 10 surf in vol with name 'vscrew*' with y coord ¿ .025*nthread - 1e-6 and y coord ; .025*nthread + 1e-6

top of screw for loading

sideset 10 surf in vol with name 'vscrew*' with y coord ¿ .025*nthread - 1e-6

and y coord; .025*nthread + 1e-6

top of screw for loading

#export mesh using aprepro parameters in file name
line = "export genesis 'TM4meshed 'screw 'wedge' // tostring (wedge 'angle) // "nthread" // tostring (nthread) // ".g' block all overwrite" rescan(line)

Appendix B: Example Adagio Code

```
# Simple screw thread pullout simulation, quasistatic, wedge symmetry
# Created by DJV & MSV June 2014
# Units are in inches
# quasistatic, prescribed displacement with contact
# adapt contact and solver settings
from ../adagio 'rtest/VerificationTestManual/ContactVerificationTests/HertzSphereContact/
# Timing
# t0 = 0 start of qs loading
#t1 = 1 maximum load reached
# t2 = 2 return load to zero
# disp = 0.025
### QS solution parameters
\#nstep'up = 200
\#nstep'down = 200
# set flags to determine run type
\# kinematic = 0 faceFace = 1
## variables from regression test
# numThetaCollections = numberThetaCollections = 5 # Number of Collection Points Around Cir-
cumference of Contact Patch
## Variables
                    = degreeInterval = 90.0 / (numberThetaCollections - 1)
# degreeInterval
                     = degreeTolerance = degreeInterval / 2.0
# degreeTolerance
ifdef(kinematic)
# constraint
                  = constraint formulation = "node face"
# contactAlgorithm = contact alg = "kinematic node-Face"
else
ifdef(faceFace)
# constraint
                  = constraint formulation = "face face"
# contactAlgorithm = contact alg = "augmented Lagrange face-Face"
else
# constraint
                  = constraint formulation = "node face"
# contactAlgorithm = contact alg = "augmented Lagrange node-Face"
endif
endif
```

#-----

BEGIN SIERRA

```
TITLE screw thread pullout, wedge symmetry, contact alg
```

```
define direction x with vector 1.0 0.0 0.0 define direction y with vector 0.0 1.0 0.0 define direction z with vector 0.0 0.0 1.0 define point origin with coordinates 0.0 0.0 0.0 define axis center axis with point origin direction y
```

```
begin definition for function const1
```

```
type = constant
begin values
1.0
end values
end
begin definition for function const0
type = constant
begin values
0.0
end values
end
```

BEGIN DEFINITION FOR FUNCTION ramp

```
TYPE = PIECEWISE LINEAR
```

```
BEGIN VALUES
```

t0 0.0 t1 1.0 2.0 1.0 END END

BEGIN DEFINITION FOR FUNCTION rampupdown

```
TYPE = PIECEWISE LINEAR
BEGIN VALUES

t0 0.0

t1 1.0

t2 0.0

10.0 0.0

END
```

END

```
#-----#
BEGIN PROPERTY SPECIFICATION FOR MATERIAL A286 screw
 DENSITY = 0.286/(32.174*12)
 begin parameters for model elastic plastic
   YOUNGS MODULUS = 29e6
   POISSONS RATIO = 0.28
   YIELD STRESS = 120e3
  HARDENING MODULUS = 90.698e4 # ult = 160ksi, elong = 12%, eu frac = .5, epUTS = 5.4%
END
BEGIN PROPERTY SPECIFICATION FOR MATERIAL SS303 screw
  DENSITY = 0.289/(32.174*12)
  begin parameters for model elastic plastic
   YOUNGS MODULUS = 28e6
   POISSONS RATIO = 0.25
   YIELD STRESS = 34.8e3
  HARDENING MODULUS = 34.94e4 # ult = 89.9ksi, elong = 50%, eu frac = .5, epUTS = 22.2%
  END
END
BEGIN PROPERTY SPECIFICATION FOR MATERIAL PH13-8:H1100
  DENSITY = 0.279/(32.174*12)
  begin parameters for model elastic plastic
   YOUNGS MODULUS = 28.8e6
   POISSONS RATIO = 0.28
   YIELD STRESS = 135e3
  HARDENING MODULUS = 39.483e4 # ult = 150ksi, elong = 14%, eu frac = .5, epUTS = 6.3%
  END
END
BEGIN PROPERTY SPECIFICATION FOR MATERIAL hiperco50
  DENSITY = 0.293/(32.174*12)
  begin parameters for model elastic plastic
   YOUNGS MODULUS = 30e6
   POISSONS RATIO = 0.3
   YIELD STRESS = 30e3
  HARDENING MODULUS = 65.644e4 # ult = 53ksi, elong = 4%, eu frac = 1, epUTS = 3.8%
  END
END
```

BEGIN PROPERTY SPECIFICATION FOR MATERIAL SS304L'VAR

```
DENSITY = 0.289/(32.174*12)
 begin parameters for model elastic plastic
   YOUNGS MODULUS = 28e6
   POISSONS RATIO = 0.28
   YIELD STRESS = 32701.85
  HARDENING MODULUS = 23.205e4 # ult = 78ksi, elong = 80%, eu frac = .5, epUTS = 33.5%
 END
END
BEGIN PROPERTY SPECIFICATION FOR MATERIAL titanium6Al4V
 DENSITY = 0.16/(32.174*12)
 begin parameters for model elastic plastic
   YOUNGS MODULUS = 16e6
   POISSONS RATIO = 0.31
   YIELD STRESS = 125e3
  HARDENING MODULUS = 38.464e4 #ult = 135ksi, elong = 10%, eu frac = .5, epUTS = 4.1%
 END
END
#---- sections -----
#--- FE model -----
BEGIN FINITE ELEMENT MODEL femodel
DATABASE NAME =TM4meshed screw wedge30 nthread4.g
 BEGIN PARAMETERS FOR BLOCK block 1 #screw body
  MATERIAL A286 screw
  SOLID MECHANICS USE MODEL elastic plastic
 END
 BEGIN PARAMETERS FOR BLOCK block 2 #screw threads
  MATERIAL A286 screw
  SOLID MECHANICS USE MODEL elastic plastic
 END
 BEGIN PARAMETERS FOR BLOCK block'3 #nut'body
  MATERIAL SS304L VAR
  SOLID MECHANICS USE MODEL elastic plastic
 END
 BEGIN PARAMETERS FOR BLOCK block'4 #nut'threads
  MATERIAL SS304L VAR
  SOLID MECHANICS USE MODEL elastic plastic
 END
END
```

```
#====== QS Disp Procedure =========
BEGIN ADAGIO PROCEDURE PULL
 BEGIN TIME CONTROL
  BEGIN TIME STEPPING BLOCK tb1
   START TIME = t0
   BEGIN PARAMETERS FOR ADAGIO REGION rPULL
     TIME INCREMENT = 1/nstep up
   END
  END
  BEGIN TIME STEPPING BLOCK tb2
   START TIME = t1
   BEGIN PARAMETERS FOR ADAGIO REGION rPULL
    TIME INCREMENT = 1/nstep down
   END
  END
  TERMINATION TIME = t2
 END
 ### ----- ###
 ### Region ###
 ### ----- ###
 BEGIN ADAGIO REGION rPULL
  USE FINITE ELEMENT MODEL femodel
  ### ----- ###
  ### BCs and Loading ###
  ### ----- ###
  BEGIN FIXED DISPLACEMENT
   node set = nodelist'3 # OD of nut
   COMPONENTS = X
  END
  BEGIN FIXED DISPLACEMENT
   node set = nodelist' 3 # OD of nut
   COMPONENTS = Y
  END
  BEGIN FIXED DISPLACEMENT
   node set = nodelist<sup>3</sup> # OD of nut
   COMPONENTS = Z
  END
```

```
BEGIN FIXED DISPLACEMENT
 node set = nodelist 1 #symetry face
 COMPONENTS = Z
END
BEGIN prescribed displacement
 node set = nodelist^2
 cylindrical axis = center axis
 function = const0
END
# loading
BEGIN prescribed displacement
 node set = nodelist.10
 COMPONENT = Y
 function = rampupdown
 scale factor = disp
END
### ----- ###
### Output Variables ###
### ----- ###
BEGIN RESULTS OUTPUT 3Doutput
 DATABASE NAME = \%B.e
 AT STEP 0 INCREMENT = 1
 #AT time t0 INCREMENT =
 nodal variables = displacement as displ
 nodal variables = force contact
 element variables = von mises
 element variables = eqps
END
BEGIN heartbeat OUTPUT heartOut
 stream name = %B.hrt
 AT STEP 0 INCREMENT = 1
 precision = 8
 labels = OFF
 legend = ON
 VARIABLE = GLOBAL time
 VARIABLE = GLOBAL Dinp
 VARIABLE = GLOBAL Fr
 VARIABLE = GLOBAL maxVM screw thread
 VARIABLE = GLOBAL maxVM screw body
 VARIABLE = GLOBAL maxVM nut thread
```

VARIABLE = GLOBAL maxVM nut body VARIABLE = GLOBAL maxEQPS screw thread VARIABLE = GLOBAL maxEQPS screw body VARIABLE = GLOBAL maxEQPS nut thread VARIABLE = GLOBAL maxEQPS nut body

END

BEGIN HISTORY OUTPUT hisoutput DATABASE NAME = %B.h AT STEP 0 INCREMENT = 1VARIABLE = GLOBAL TIMESTEP AS tstep VARIABLE = GLOBAL wall clock time as twall VARIABLE = GLOBAL wall clock time per step as twallps VARIABLE = GLOBAL KINETIC ENERGY AS EK VARIABLE = GLOBAL HOURGLASS ENERGY AS EHG VARIABLE = GLOBAL INTERNAL ENERGY AS EI VARIABLE = GLOBAL EXTERNAL ENERGY AS EE VARIABLE = GLOBAL contact energy AS EC VARIABLE = GLOBAL Dinp VARIABLE = GLOBAL Finp VARIABLE = GLOBAL Fr VARIABLE = GLOBAL maxVM screw thread VARIABLE = GLOBAL maxVM screw body VARIABLE = GLOBAL maxVM nut thread VARIABLE = GLOBAL maxVM nut body VARIABLE = GLOBAL maxSzz screw thread VARIABLE = GLOBAL maxSzz screw body VARIABLE = GLOBAL maxSzz nut thread VARIABLE = GLOBAL maxSzz nut body VARIABLE = GLOBAL maxEQPS screw thread VARIABLE = GLOBAL maxEQPS screw body VARIABLE = GLOBAL maxEQPS nut thread VARIABLE = GLOBAL maxEQPS nut body

END

BEGIN USER OUTPUT node set = nodelist 10 COMPUTE GLOBAL Dinp AS average OF nodal displacement(2) COMPUTE GLOBAL Finp AS sum OF nodal reaction(2) END

```
BEGIN USER OUTPUT
    node set = nodelist^3
    COMPUTE GLOBAL Fr AS sum OF nodal reaction(2)
   END
   BEGIN USER OUTPUT
    block = block'1
    COMPUTE GLOBAL maxVM screw body AS max OF element von mises
    COMPUTE GLOBAL maxSzz screw body AS max OF element stress(zz)
    COMPUTE GLOBAL maxEQPS screw body AS max OF element eqps
   END
   BEGIN USER OUTPUT
    block = block^2
    COMPUTE GLOBAL maxVM screw thread AS max OF element von mises
    COMPUTE GLOBAL maxSzz screw thread AS max OF element stress(zz)
    COMPUTE GLOBAL maxEQPS screw thread AS max OF element eqps
   END
   BEGIN USER OUTPUT
    block = block^3
    COMPUTE GLOBAL maxVM nut body AS max OF element von mises
    COMPUTE GLOBAL maxSzz nut body AS max OF element stress(zz)
    COMPUTE GLOBAL maxEQPS nut body AS max OF element egps
   END
   BEGIN USER OUTPUT
    block = block'4
    COMPUTE GLOBAL maxVM nut thread AS max OF element von mises
    COMPUTE GLOBAL maxSzz nut thread AS max OF element stress(zz)
    COMPUTE GLOBAL maxEQPS nut thread AS max OF element eqps
   END
   ### ----- ###
   ### Contact Definition ###
   ### ----- ###
   begin contact definition screw
search = dash
    enforcement = al
   contact surface screw thread contains block 2
   contact surface screw body contains block 1
contact surface nut body contains block 3
   contact surface nut thread contains block 4
   begin tied model tie 1
```

end tied model tie 1

```
begin interaction int'0
      friction model = frictionless
      master = nut thread
      slave = screw thread
    end interaction int 0
begin interaction int 1
master = screw thread
slave = screw body
friction model = tie 1
end interaction int 1
begin interaction int<sup>2</sup>
master = nut thread
slave = nutbody
friction model = tie 1
end interaction int 2
  end contact definition screw
#
    begin contact definition cont1
#
      search = dash
      contact surface screw thread contains block 2
#
#
      contact surface nut thread contains block 4
      enforcement = al
#
#
      begin interaction int'0
#
       friction model = frictionless
#
       master = nut thread
#
       slave = screw thread
#
       constraint formulation = constraint formulation
#
      end interaction int 0
      compute contact variables = on
#
#
    end contact definition cont1
   ### ----- ###
   ### Solver Definition ###
   ### ----- ###
   begin solver
    ifdef(kinematic)
    begin loadstep predictor
```

type = scale factor scale factor = 1.0 0.0

end

```
begin control contact
  target relative residual = 1.0e-4
  target relative contact residual = 1.0e-4
  maximum iterations = 100
  minimum iterations = 2
 end
 begin cg
  target relative residual = 1.0e-6
  acceptable relative residual = 1.0e10
  maximum iterations = 1000
  minimum iterations = 10
  iteration print = 10
  preconditioner = elastic
 end cg
 else
 begin control contact
  target relative residual = 1.0e-3
  target relative contact residual = 1.0e-3
  maximum iterations = 100
 end
 begin cg
  target relative residual = 1.0e-5
  acceptable relative residual = 1.0e10
  maximum iterations = 100
  iteration print = 10
 end cg
 endif
end solver
 begin solver
  level 1 predictor = none
  begin loadstep predictor
   type = scale factor
   scale factor = 0.0
  end
  begin control contact
    target relative residual = 1e-4
    maximum iterations
                            =500
    minimum iterations
                            =3
```

#

#

#

#

#

#

#

#

#

#

```
#
      end control contact
#
      begin cg
       target relative residual = 1e-5
#
       acceptable relative residual = 1000
#
       minimum residual improvement = 0.99
#
       maximum iterations = 250
#
#
        iteration print = 1
       begin full tangent preconditioner
#
#
         #number of smoothing iterations = 10
         #iteration update = 100
#
         \#small number of iterations = 20
#
        end full tangent preconditioner
#
#
     end cg
#
    end solver
#
    begin adaptive time stepping
#
      cutback factor = 0.5
      growth factor = 1.2 \# 1.1
#
      maximum failure cutbacks = 8
#
      maximum multiplier =
#
      minimum multiplier = 1.e-9
#
#
      target iterations = 50
      iteration window = 10
#
#
    end
#
```

END ADAGIO region rPULL

END ADAGIO procedure PULL

BEGIN FETI EQUATION SOLVER FETI #use defaults
END FETI EQUATION SOLVER FETI

END

DISTRIBUTION:

1	MS 0346	Organization 1526, 1526 (electronic)
1	MS 0557	C. Dennis Croessmann, 1520 (electronic)
1	MS 0840	Organization 1554, 1554 (electronic)
1	MS 9042	Organization 8259, 8259 (electronic)
1	MS 0899	Technical Library, 9536 (electronic copy)

